

Certificate of Analysis

Serial number: ZG-8.1.3-04

Product Name: FL20		Manufacture Date: 2015-12-21
Batch No.: 15N64		Expiry Date: 2017-12-20
Batch Size: 5000kg		Packaging: 200Bag*25kg
Item	Standard	Test Result
Physical Form	White to off-white powder	Complied
Identification A,B,C	Positive	Complied
Viscosity (2% mPa.S)	25-50	34.3
D.S	0.75-0.95	0.84
Purity, %	99.5min	99.60
pH Value 1%	6.5-8.5	7.18
Moisture Content, %	8.0max	6.11
Sodium, %	12.4max	8.40
Sodium Chloride, % dry	0.5max	0.20
Compacted Bulk density, g/l	500-800	626
Heavy Metals (As Pb), ppm	10max	Complied
Lead, ppm	0.5max	Complied
Arsenic	1max	Complied
Cadmium, ppm	0.5max	Complied
Mercury, ppm	0.1max	Complied
Total plate count	1000/g max	Complied
Yeast and Moulds	100/g max	Complied
E. Coli, cfu/10g	Absent in a 10g sample	Complied
Staphylococcus, cfu/10g	Absent in a 10g sample	Complied
Salmonella, cfu/10g	Absent in a 10g sample	Complied
Test method:		
Viscosity measured on basis of 2% water solution, at 25Deg C, Brookfield Viscometer LVDV-I+ Type, #1spindle, 60rpm		

For and on behalf of
Changshu Wealthy Science and Technology Co., Ltd.
常熟威怡科技有限公司
Changshu Wealthy Science and Technology Co., Ltd.

Date: 2015-12-24

Address: Fluorine Chemical High-tech Industrial Park, Changshu, Suzhou, China

Welcome to visit our website: <http://www.weiyichem.com>